

AK 3

Room Divider



Colours

Shell



Feet

Standard RAL 9011 (Black) with 30% gloss degree
Custom Any RAL colour with 70% gloss degree

*You can connect two or more AK 3 Room Dividers using hinges. Please, note that hinges are not included in a standard set. Contact sales@devorm.nl for more information.


Specifications

Weight

11 kg

Preassembled


No



AK 3 is a functional room divider for commercial interiors. The divider creates movable walls, bringing structure to open spaces. Made from PET Felt and honeycomb paper core, AK 3 has acoustic properties and is an effective solution for dampening the noises. The divider offers a wide range of applications in open-plan offices, restaurants and other public places.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 3 Room Divider, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 4

Room Divider



Colours

Shell



Feet

Standard RAL 9011 (Black) with 30% gloss degree
Custom Any RAL colour with 70% gloss degree

*You can connect two or more AK 4 Room Dividers using hinges. Please, note that hinges are not included in a standard set. Contact sales@devorm.nl for more information.


Specifications

Weight

12 kg

Preassembled


No



AK 4 is a functional room divider for commercial interiors. The divider creates movable walls, bringing structure to open spaces. Made from PET Felt and honeycomb paper core, AK 4 has acoustic properties and is an effective solution for dampening the noises. The divider offers a wide range of applications in open-plan offices, restaurants and other public places.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 4 Room Divider, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 3

Workplace Divider



Colours

Shell



Feet

Standard RAL 9011 (Black) with 30% gloss degree
Custom Any RAL colour with 70% gloss degree


Specifications

Weight

11 kg

Preassembled


No



AK 3 is a functional workplace divider for commercial interiors. The divider creates partitioning at shared desks, allowing people to work in a concentrated manner. Made from PET Felt and honeycomb paper core, AK 3 has acoustic properties and is an effective solution for dampening the noises. Suitable for open-plan offices, co-working spaces and other public interiors.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 3 Workplace Divider, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 4

Workplace Divider



Colours

Shell



Feet

Standard RAL 9011 (Black) with 30% gloss degree
Custom Any RAL colour with 70% gloss degree


Specifications

Weight

12 kg

Preassembled


No



AK 4 is a functional workplace divider for commercial interiors. The divider creates partitioning at shared desks, allowing people to work in a concentrated manner. Made from PET Felt and honeycomb paper core, AK 4 has acoustic properties and is an effective solution for dampening the noises. Suitable for open-plan offices, co-working spaces and other public interiors.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:
www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:
www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 4 Workplace Divider, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 3

Vertical Hanging Panel



Colours

Shell



Specifications

Weight


9 kg

Standard cord length

3 m

Preassembled


No



AK 3 is a functional room divider for commercial interiors. The divider is ceiling-suspended, creating partitioning in open spaces. Made from PET Felt and honeycomb paper core, AK 3 has acoustic properties and is an effective solution for dampening the noises. The divider offers a wide range of applications in open-plan offices, restaurants and other public places.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 3 Vertical Hanging Panel, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 4

Vertical Hanging Panel



Colours

Shell



Specifications

Weight


10 kg

Standard cord length

3 m

Preassembled


No



AK 4 is a functional room divider for commercial interiors. The divider is ceiling-suspended, creating partitioning in open spaces. Made from PET Felt and honeycomb paper core, AK 4 has acoustic properties and is an effective solution for dampening the noises. The divider offers a wide range of applications in open-plan offices, restaurants and other public places.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 4 Vertical Hanging Panel, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 3

Horizontal Hanging Panel



Colours

Shell



Specifications

Weight


9 kg

Standard cord length

3 m

Preassembled


No



AK 3 is a functional room divider for commercial interiors. The divider is ceiling-suspended, creating partitioning in open spaces. Made from PET Felt and honeycomb paper core, AK 3 has acoustic properties and is an effective solution for dampening the noises. The divider offers a wide range of applications in open-plan offices, restaurants and other public places.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 3 Horizontal Hanging Panel, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4

AK 4

Horizontal Hanging Panel



Colours

Shell



Specifications

Weight


10 kg

Standard cord length

3 m

Preassembled


No



AK 4 is a functional room divider for commercial interiors. The divider is ceiling-suspended, creating partitioning in open spaces. Made from PET Felt and honeycomb paper core, AK 4 has acoustic properties and is an effective solution for dampening the noises. The divider offers a wide range of applications in open-plan offices, restaurants and other public places.

Designed by **De Vorm**

Product overview



Sustainability goals at De Vorm

We strive to do more with less when creating a comfortable living and working environment. To fulfil this purpose, we are constantly looking for sustainable materials, local suppliers and partners sharing the same values. Ensuring that our products are recycled, durable and recyclable after a long lifespan.

PET Felt technology

PET Felt is made from recycled PET bottles. Cut into smaller flakes, plastic is turned into thin fibres that are intertwined together to form a layer of felt. Further, it is pressed into the shape of a final product with the heat. As a result, PET Felt material is soft to touch and sturdy enough to be used for chair shells and room dividers. PET Felt is UV-stabilised and offers sound-dampening properties due to its open-cellular structure.

Warranty terms

You can find the general warranty terms at:

www.devorm.nl/information-bank/corporate-information/warranty-terms

Care & Maintenance

For Care & Maintenance manual, please, visit our Information Bank:

www.devorm.nl/information-bank/care-n-maintenance

Installation Guide

For the assembly of AK 4 Horizontal Hanging Panel, please, consult the Installation Guide in the Download Library: www.devorm.nl/download-library/ak-3-4