


## DEEP PLASTIC BIO

DEEP BIO the first seat created by QUINTI with the innovative material Platura, a biopolymeric obtained by the usage of renewable energy sources, completely compostable and long lasting.

Practical, resistant and provided with the same thermo-mechanical properties of the traditional plastic ones.



## DEEP PLASTIC BIO

### MONOCOQUE

---

Deep Bio is available both with or without armrests in a single color.



### **About**

It is a biopolymer obtained by renewable energy sources with a content of biomass > 80% using even raw material from the agri-food industries' waste, made by combining applications and technologies of traditional plastic material, with the reduction of CO2 emissions.

For the decor, Plantura is reinforced by wood fibers and cellulose that offers high performance and an aesthetic effect.

The Plantura biopolymer is compostable.

The biodegradation process takes place in CO2, water and minerals breaking down in about 6 months. The final physical decomposition of the product takes place in 12 month, reducing for the 97% in 2mm particles.

The resulting compost is able to germinate.

Deep Bio is available only in colour COGNAC PANTONE 124 U

---



## DEEP PLASTIC BIO

### STRUCTURE

---

4 metal legs frame diam 16 mm available with armrests and tablet, in the finishes:

- Chrome
- Black painted

Rod frame diam 11mm with nylon feed in the finishes:

- Chrome
- Black painted

4 painted oak wood frame:

- natural
- tempered

Truss black painted frame

Light weight 4 spoke Base on castors or feet diam 68 cm swivel with upliftment.

Trend 5 spoke Base on castors diam 68 cm swivel with upliftment in the finishes:

- Aluminium
- White polypropylene
- Black polypropylene

4 spoke swivel without upliftment in painted oak wood:

- Natural
- Tempered


Metal cantilever frame diam 18mm with or without armrests in the finishes:

- White painted
- Black painted

4 metal legs Educational frame painted in black diam 16 mm with castors, under seat plate, storage pocket and with tablet.

## DEEP PLASTIC BIO

### DEEP BIO DIMENSIONS WITHOUT ARMRESTS



- 1 . 4 legs frame armchair
- 2 . Truss frame armchair
- 3 . Rod frame armchair
- 4 . 4 wood legs armchair
- 5 . 4 light spoke Base armchair
- 6 . Trend 5 spoke Base armchair
- 7 . 4 wood spoke Base armchair

- L52/45 P 54/43 H78/44-48
- L52/45 P 54/43 H78/44-48
- L52/45 P 54/43 H78/44-48
- L45/45 P 54/43 H78/44-48
- L70/45 P 70/43 H81/90-47/56-51/60
- L70/45 P 70/43 H81/90-47/56-51/60
- L70/45 P 70/43 H78/44-48

8. 4 legs frame armchair and armrests
9. Cantilever frame armchair with armrests
10. Cantilever frame armchair without armrests
11. 4 legs frame Armchair with armrests and tablet.
12. Educational Armchair
13. Stool
14. Benches

- L52/45 P 54/43 H78/44-48
- L56/45 P 54/43 H78/44-48
- L56/45 P 54/43 H78/44-48
- L57/45 P 54/43 H78/44-48
- L60/45 P 54/43 H78/44-48
- L46/45 P 52/43 H109/72-76
- L120-175-238
- P 61/43 H76/42-46

## DEEP PLASTIC BIO

### DEEP BIO DIMENSIONS WITH ARMRESTS

---



- 
- 1 . 4 legs frame armchair L58/43-P54/43-H78/44-47
  - 2 . Rod frame armchair L58/43-P54/43-H78/44-47
  - 3 . 4 wood legs frame armchair L58/43-P54/43-H78/44-47
  - 4 . Truss frame armchair L58/43-P52/43-H78/44-47
  - 5 . 4 light spoke Base armchair L70/43-P70/43-H81-91/47/56
  - 6 . 5 light spoke Base armchair L70/43-P70/43-H81-91/47/56
  - 7 . Armchair on docking sledges and sleds L52/43-P70/43-H 73/42

### PADDING

---



ESSENTIAL



SEDILE SOFT

Deep is available in two versions:

- ESSENTIAL \_ polypropylene shell without padding
- SEDILE SOFT \_ shell with padded seat in polyurethane rubber density 40 with supportive wooden structure.

Both Soft versions are available with MINISTERIAL CERTIFICATION 1IM

## DEEP PLASTIC BIO

### UPHOLSTERY

#### BIO-EXPO CATEGORY 2

300 gr/mt2  
100% Propitex FR bacteriostatic  
Class 1UNI EN ISO 354:2003  
100.000 +/- 10% cycles Martindale

#### EXTREME CATEGORY 2

350 gr/mtl  
100% Xtreme FR  
Class 1 , EN 1021-1/2  
100.000 +/- 10% cycles Martindale

#### LASER CATEGORY 2

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000+/- 10% cycles Martindale

#### ECOPELLE CATEGORY 2

630 gr/mt2  
83% PVC, 17% Synthetic  
ISO 379-DIN75200-CSERF4/83 10%  
cycles Martindale

#### ERA CATEGORY 3

448 gr/mtl  
100% Trevira CS  
Class 1UNI EN ISO 354:2003  
100.000 +/- 10% cycles Martindale

#### LASER PLUS CATEGORY 3

630 gr/mtl  
100% Polyester FR Trevira  
Classe1 , 4.000 +/- cycles Martindale

#### ECOPELLE SOUL CATEGORY 3

760 gr/mt2  
Superficies 100% POLIURETANO,  
Base Polyester 85%,17% Cotton  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

#### MELANGE CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% cycles Martindale

#### JET CATEGORY 3

365+/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000+/- 10% cycles Martindale

#### ECOPELLE SISTEMA PRO CATEGORY 3

710 gr/mt2  
Surface 93% PVC  
Base Polyester 28%  
CLASSE1  
100.000 CICLI

#### ECOPELLE VITAX CATEGORY 3

850 gr/mt2  
Surface 98% PVC 2% PU  
Base cotton 100%  
CLASSE 1  
100.000 CICLI

#### ONE RECICLE CATEGORY 3

525 gr/mt2  
100% recycled polyester  
Base cotton 100%  
CLASSE 1IM  
100.000 CICLI

#### LANA CATEGORY 5

500 gr/mt2  
75% Lana, 25% polyamide  
Class 1  
100.000 cycles Martindale

#### PELLE CATEGORY 5/6

620 g/lin.m  
100% Cow leather  
Class 1, EN 1021-1/2

#### PIED POULE CATEGORY 6

550 g/lin.m  
66% cotton, 34% Polyester  
35.000 % cycles Martindale

#### EUROPOST 2 CATEGORY 6

710 g/lin.m  
63% PU, 16% CO, 21% PL  
Ini1975 CLASS1emme,UNI9175/FA  
50.000% cycles Martindale

#### PREMIUM /ELEGANCE CATEGORY 7

100% First quality cow leather  
Thickness 1,2/1,4 mm  
EN1021-1/2

#### STEELCUT TRIO CATEGORY 7

770 g/lin.m  
90% New wool worsted, 10% Nylon  
Class 1, EN 1021-1/2  
100.000 % cycles Martindale

#### REMIX CATEGORY 7

415 g/lin.m  
90% New wool worsted, 10% Nylon  
Class 1, EN 1021-1/2  
100.000 % cycles Martindale

#### VELLUTO DECONTRACTE' CATEGORY 7

590 g/lin.m  
19% CO, 61% PC,10% PL, 10%VI  
40.000 % cycles Martindale

#### MERIT CATEGORY 7

500g/lin.m  
76% Polyester Recycled  
24% Polyester  
EN 1021-1/2  
85.000 % cycles Martindale

#### VELLUTO CATEGORY 8

600 g/lin.m  
100.000 % PL Flame retardant

#### PELLE SOFT CATEGORY 8

100% Cow leather Thickness,8-2 mm  
Aniline treatment – First quality  
EN1021-1/2

## DEEP PLASTIC BIO

### **USAGE AND CARE**

---

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

#### **FABRICS**

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

#### **LEATHERS**

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

#### **WOODS**

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

#### **METALS**

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

#### **WARRANTY**

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.