

ketoy

1080.01 - 1080.23



collection

wallcovering

03

vinyl

description

fine, organic rib with a subtle sheen

composition

vinyl finishing coat on a woven cotton backing

width

± 130 cm, ± 51 inches

weight

± 440 gr/m², ± 18 oz/yd¹

sound absorption

ISO 354, alphaw 0.10

flame retardancy

EN 13501, B s2 d0

ASTM E84, A




ketoy

1080.01 - 1080.23




1080.01



1080.02



1080.03




1080.04




1080.05



1080.06



1080.07




1080.08



1080.09



1080.10




1080.11




1080.12



1080.13




1080.14



1080.15




1080.16




1080.17




1080.18




1080.19



1080.20



1080.21




1080.22



1080.23

granby

1110.01 - 1110.09



collection

wallcovering

01

vinyl

description

structured herringbone stripe with a matte, layered look

composition

vinyl finishing coat on a woven cotton backing

width

± 130 cm, ± 51 inches

weight

± 440 gr/m², ± 18 oz/yd¹

sound absorption

ISO 354

alphaw 0.10

ASTM C423

nrc 0.10

flame retardancy

EN 13501, B s2 d0

ASTM E84, A

NFPA 286

colorfastness to light

ISO 105-B02

7 (scale 1-8)

CCC-W-408D

type II



granby

1110.01 - 1110.09




1110.01




1110.02



1110.03



1110.04



1110.05



1110.06



1110.07




1110.08



1110.09

spira

2616.00 - 2616.06



collection
wallcovering
07
textile



description
blocks, lines and fields combined to create a graphic mosaic

composition
100% linen on a paper backing

width
± 137 cm, ± 54 inches

weight
± 438 gr/m², ± 19 oz/yd¹

pattern repeat
height: 50 cm, 19.7 inches
width: 68 cm, 26.8 inches

flame retardancy
EN 13501, B s2 d0
ASTM E84, A

spira


2616.00 - 2616.06



2616.03




2616.01



2616.00



2616.02



2616.04




2616.06



2616.05

shannon

1108.01 - 1108.22



collection
wallcovering
03
vinyl

description
**texture consisting of small squares that slope
in various directions**

composition
**vinyl finishing coat on a woven cotton
backing**

width
± 130 cm, ± 51 inches

weight
± 850 gr/m², ± 36 oz/yd¹

flame retardancy
**EN 13501, B s2 d0
ASTM E84, A
NFPA 286**

colorfastness to light
**ISO 105-B02
8 (scale 1-8)
CCC-W-408D**
type III

vinyl  COMMITTED TO
SUSTAINABLE DEVELOPMENT

CE EN 15102



shannon

1108.01 - 1108.22



1108.01



1108.02



1108.03



1108.04



1108.05



1108.06



1108.07



1108.08



1108.09



1108.10



1108.11



1108.12



1108.13



1108.14



1108.15



1108.16




1108.17



1108.18



1108.19



1108.20




1108.21



1108.22

watson

1098.01 - 1098.20



collection

wallcovering

02

vinyl

description

concrete look

composition

vinyl finishing coat on a woven cotton backing

width

± 130 cm, ± 51 inches

weight

± 440 gr/m², ± 18 oz/yd¹

sound absorption

ISO 354, alphaw 0.10

flame retardancy

EN 13501, B s2 d0

ASTM E84, A

NFPA 286

colorfastness to light

ISO 105-B02

light 7 / dark 8 (scale 1 – 8)

CCC-W-408D

vinyl  COMMITTED TO SUSTAINABLE DEVELOPMENT

CE EN 15102



watson


1098.01 - 1098.20



1098.01




1098.02



1098.03



1098.04




1098.05



1098.06



1098.07



1098.08



1098.09




1098.10




1098.11



1098.12



1098.13




1098.14



1098.15



1098.16



1098.17



1098.18




1098.19



1098.20

colour choice+protect

1056.001 PRO - 1056.140 PRO



collection

Vescom Protect

description

finely structured unpatterned design in a pallet of no less than 140 colours + Vescom Protect

composition

vinyl finishing coat on a woven cotton backing

width

± 130 cm, ± 51 inches

weight

± 480 gr/m², ± 19 oz/yd¹

flame retardancy

EN 13501, B s2 d0

colorfastness to light

ISO 105-B02

7 (scale 1–8)

additional information

The minimum order size for all Vescom Protect designs is 375 metres. A selection of Vescom Protect designs and colours is available with a minimum order of only 1 metre.



colour choice+protect

1056.001 PRO - 1056.140 PRO

								
1056.001	1056.002	1056.003	1056.004	1056.005	1056.006	1056.007	1056.008	1056.009
								
1056.010	1056.011	1056.012	1056.013	1056.014	1056.015	1056.016	1056.017	1056.018
								
1056.019	1056.020	1056.021	1056.022	1056.023	1056.024	1056.025	1056.026	1056.027
								
1056.028	1056.029	1056.030	1056.031	1056.032	1056.033	1056.034	1056.035	1056.036
								
1056.037	1056.038	1056.039	1056.040	1056.041	1056.042	1056.043	1056.044	1056.045
								
1056.046	1056.047	1056.048	1056.049	1056.050	1056.051	1056.052	1056.053	1056.054
								
1056.055	1056.056	1056.057	1056.058	1056.059	1056.060	1056.061	1056.062	1056.063
								
1056.064	1056.065	1056.066	1056.067	1056.068	1056.069	1056.070	1056.071	1056.072
								
1056.073	1056.074	1056.075	1056.076	1056.077	1056.078	1056.079	1056.080	1056.081


colour choice+protect

1056.001 PRO - 1056.140 PRO

								
1056.082	1056.083	1056.084	1056.085	1056.086	1056.087	1056.088	1056.089	1056.090
								
1056.091	1056.092	1056.093	1056.094	1056.095	1056.096	1056.097	1056.098	1056.099
								
1056.100	1056.101	1056.102	1056.103	1056.104	1056.105	1056.106	1056.107	1056.108
								
1056.109	1056.110	1056.111	1056.112	1056.113	1056.114	1056.115	1056.116	1056.117
								
1056.118	1056.119	1056.120	1056.121	1056.122	1056.123	1056.124	1056.125	1056.126
								
1056.127	1056.128	1056.129	1056.130	1056.131	1056.132	1056.133	1056.134	1056.135
								
1056.136	1056.137	1056.138	1056.139	1056.140				

hauki

1069.01 - 1069.27



collection

wallcovering

01

vinyl

description

**well-refined graphical longitudinal structure
with strong three-dimensional effect**

composition

**vinyl finishing coat on a woven cotton
backing**

width

± 130 cm, ± 51 inches

weight

± 550 gr/m², ± 23 oz/yd¹

flame retardancy

EN 13501, B s2 d0

ASTM E84, A

vinyl  COMMITTED TO
SUSTAINABLE DEVELOPMENT

CE EN 15102



hauki


1069.01 - 1069.27



1069.01



1069.02




1069.03



1069.04



1069.05



1069.06



1069.07



1069.08



1069.09



1069.10



1069.11



1069.12



1069.13



1069.14



1069.15



1069.16




1069.17



1069.18




1069.19



1069.20



1069.21



1069.22



1069.23



1069.24



1069.25



1069.26



1069.27

linosa

2002.01 - 2002.09



collection
wallcovering
04
textile

description
basic linen weave

composition
100% linen

width
± 137 cm, ± 54 inches

weight
± 500 gr/m², ± 22 oz/yd¹

flame retardancy
EN 13501, B s2 d0
ASTM E84, A

CE EN 15102



linosa


2002.01 - 2002.09




2002.06



2002.04



2002.03



2002.01



2002.05




2002.02



2002.07



2002.08



2002.09

crafty

2615.00 - 2615.09



collection
wallcovering
07
textile

description
crushed-look weave

composition
90% linen / 10% polyester on a paper backing

width
± 137 cm, ± 54 inches

weight
± 292 gr/m², ± 13 oz/yd¹

flame retardancy
EN 13501, B s2 d0
ASTM E84, A

CE EN 15102

crafty


2615.00 - 2615.09



2615.05



2615.01



2615.06




2615.03



2615.02



2615.04



2615.07



2615.00



2615.09



2615.08

aikin

1068.01 - 1068.22



collection

wallcovering

02

vinyl

description

structure and design made up of small triangles and polygons that catch the light in different ways

composition

vinyl finishing coat on a woven cotton backing

width

± 130 cm, ± 51 inches

weight

± 550 gr/m², ± 23 oz/yd¹

flame retardancy

EN 13501, B s2 d0

ASTM E84, A

NFPA 286

vinyl  COMMITTED TO SUSTAINABLE DEVELOPMENT

CE EN 15102



aikin

1068.01 - 1068.22




1068.04



1068.08



1068.01



1068.05



1068.02




1068.15



1068.03



1068.14



1068.13



1068.09



1068.11



1068.06



1068.16




1068.21



1068.22




1068.17



1068.19



1068.20



1068.12



1068.07




1068.10



1068.18

trinity

1066.01 - 1066.19



collection

wallcovering

03

vinyl

description

**sharp vertical texture on multicoloured stripe
in the background**

composition

**vinyl finishing coat with a water-based print,
woven cotton backing**

width

± 130 cm, ± 51 inches

weight

± 440 gr/m², ± 18 oz/yd¹

sound absorption

ISO 354, alphaw 0.10

flame retardancy

EN 13501, B s2 d0

ASTM E84, A

vinyl  COMMITTED TO
SUSTAINABLE DEVELOPMENT

CE EN 15102



trinity

1066.01 - 1066.19



1066.01



1066.02



1066.06




1066.03



1066.13



1066.14



1066.11



1066.12



1066.19



1066.04



1066.08



1066.05



1066.09



1066.15



1066.10



1066.18



1066.16




1066.17



1066.07

tonga

1082.01 - 1082.19



collection

wallcovering

03

vinyl

description

robust length texture

composition

water-based ink printed vinyl coating, cotton backing

width

± 130 cm, ± 51 inches

weight

± 800 gr/m², ± 34 oz/yd¹

flame retardancy

EN 13501, B s2 d0

ASTM E84, A

NFPA 286

vinyl  COMMITTED TO SUSTAINABLE DEVELOPMENT

CE EN 15102



tonga

1082.01 - 1082.19



1082.01



1082.02



1082.03



1082.04



1082.05



1082.06



1082.07



1082.08



1082.09



1082.10



1082.11



1082.12



1082.13



1082.14



1082.15



1082.16



1082.17



1082.18



1082.19