

KEYPIECE COMMUNICATION DESK. Design: EOOS.



Space-saving and cost-effective: the Keypiece Space-saving and cost-effective: the Keypiece Communication Desk is a personal workplace and meeting room table in one. Working – whether alone or in a team, advising, discussing and modern video conferencing: the design conforms to today's leadership culture. The common feature: the soft forms and curves of the desk top. Whether you are working sitting down or standing up: just press the button on the touchpad for simple and individual operation of the new height adjustment feature with an electric motor. Container and Media Hub provide space for modern media and personal tools.

Product description

Desks, conference tables

Modell no.

4500

Table top and edge versions

There are two types of edge available.

Advanced:

MDF core with chamfered edge.
Thickness: 28 mm chamfered to 10mm.
Chamfered edge painted.
Surfaces: fine textured paint, paint white no. .03, HPL laminate, fenix®, linoleum, linoleum black with silver-coloured edge no. .71 and veneers from price groups II, IV, V, VI.



Soft:

MDF table top with a gently flowing edge.
Tabletop thickness: 28 mm. Chamfered edge, painted, with integrated edge protection.
Surfaces: Only available in fine textured paint.



Table legs and base

Table base consisting of:

- beam: aluminium profile extrusion
- joint: die-cast aluminium
- horizontal cable duct

beams, joints, cable ducts and synthetic duct covers are always black-grey.

Legs:

Aluminium leg with integrated cable duct and synthetic cover.
Legs highly-polished, coated in bronze or coated in black matt.


Panel leg:

The extension tables are also available with a panel leg as an option. There is a channel integrated in the panel leg to accommodate cables. The colour from the Walter Knoll fine textured paint collection must be specified when the order is placed.

KEYPIECE COMMUNICATION DESK.

Function


Extension tables without adjustable height can be swivelled $\pm 30^\circ$ around the attachment point.



Adjustable height

Desks can be ordered with a height-adjustable panel leg, for an additional charge.

The height can be adjusted from 74 cm up to 122 cm using the integrated motor. Cable duct painted in the same colour as panel leg.



Please specify the position of the manual switch on the order. Please specify the mounting side (a or b), from the viewpoint of the main user.

Notice: please note that the option of the adjustable height has no PSE certification (Japan) and no UL certification (North America).

Accessories

For versions and accessories see following pages.

Pedestals

Modell no.

4540

Surfaces


Fine textured paint, paint white no. .03 or veneers from price groups II, IV, V, VI. Corpus inside: silver grey melamine.

Versions

Two different versions of the containers are available.

Executive container:

An embrace surrounding the slide-in pedestal creates additional surfaces.



Classic container:

Traditional pedestal with top and side cover panels.



Please see the overview for more ordering instructions for the pedestals on the following pages.

Accessories

For versions, accessories and cable management see the following pages.

Doors and drawers

Doors and drawers do not have handles and open with the touch function.

KEYPIECE COMMUNICATION DESK.

Plug management

Cable routing:

All the pedestals have a hatch approximately 19 cm x 19 cm to allow access to the floor box in the bottom. However cables can also be routed through the lower ventilation slot. There are sections cut out of the sides of every pedestal so that cables can be run through to the adjacent container.

Ventilation:

All the pedestals have a 25 mm deep opening for ventilation towards the top and towards the bottom between the rear wall and the floor. It extends over the whole width of the container. Manufacturers' instructions regarding the ventilation of any devices must be taken into account.

Ordering notes

The surfaces for the relevant price groups can be found on the back pages. Please always specify the surface when ordering. E.g. 4500-A85 in wenge = 4500.85.


If you are ordering more than one desk, please specify clearly which container belongs to which desk. To ensure that a veneer is consistent over all the containers in a row, please supply a drawing with the order.

KEYPIECE COMMUNICATION DESK.

Technical drawings and dimensions


Anbautische/Extension tables p
Höhe/Height 74

4500




B/W 210 T/D 117

4501




B/W 210 T/D 117

4502




B/W 230 T/D 119

4503




B/W 230 T/D 119

4504




B/W 250 T/D 120

4505




B/W 250 T/D 120

4506




B/W 250 T/D 158

4507




B/W 250 T/D 158

4508



B/W 275 T/D 158

4509




B/W 275 T/D 158

4510




B/W 180 T/D 90

4511




B/W 200 T/D 100

4512




B/W 220 T/D 100

4513




B/W 240 T/D 110

4555




B/W 230 T/D 109

4556




B/W 230 T/D 109

4557



B/W 250 T/D 108

4558



B/W 250 T/D 108

All dimensions in cm.

KEYPIECE COMMUNICATION DESK.

EXECUTIVE CONTAINER

Einschubcontainer/Insertion container p
Breite/Width 55

4540



T/D 59 H 47

4542



T/D 59 H 47

4544



T/D 59 H 47

4546



T/D 59 H 47

4548



T/D 59 H 47

Einschubcontainer/Insertion container p
Breite/Width 70

4541



T/D 59 H 47

4543



T/D 59 H 47

4545



T/D 59 H 47

4547



T/D 59 H 47

4549



T/D 59 H 47

Auflagecontainer/Connecting container p

4550



B/W 80 T/D 59
H 47

4551



B/W 100 T/D 59
H 47

Spange für Einschubcontainer p
Embrace for insertion container
Höhe/Height 63

4530



B/W 86 T/D 60

4531



B/W 101 T/D 60

4532



B/W 141 T/D 60

4533



B/W 156 T/D 60

4534



B/W 171 T/D 60

4530 = Container 55
4531 = Container 70
4532 = 2 Container 55
4533 = Container 55 + 70
4534 = 2 Container 70

Spange für Auflagecontainer p
Embrace for connecting container
Höhe/Height 63

4535



B/W 111 T/D 60

4536



B/W 131 T/D 60

4537



B/W 80 T/D 60

4538



B/W 100 T/D 60

4535 = Container 80
4536 = Container 100
4537 = Container 80
4538 = Container 100

CLASSIC CONTAINER

Anbaucontainer/Extension container p
Breite/Width 55

4520



T/D 60 H 58,5

4522



T/D 60 H 58,5

4524



T/D 60 H 58,5

4526



T/D 60 H 58,5

Anbaucontainer/Extension container p
Breite/Width 70

4521



T/D 60 H 58,5

4523



T/D 60 H 58,5

4525



T/D 60 H 58,5

4527



T/D 60 H 58,5

Auflagecontainer/Connecting container p

4528



B/W 80 T/D 60
H 58,5

4529



B/W 100 T/D 60
H 58,5

All dimensions in cm.