


# Powerdot


**Midi Ø 60 mm**

Lees meer informatie op onze website [www.meinema.nl](http://www.meinema.nl)




## Even smaller...

The 60 mm Powerdot meets the demand for a fancy access point including power, and any cables that can be fitted through. The PM61 model has instead a powerful USB-charger for your convenience. It may be mounted in a standard 60 mm hole or integrated in the tabletop with a milled edge for a stylish flush appearance.



**935-PM60W** POWERDOT MIDI, WHITE  
1 POWER, 1 CABLE PORT WITH CLIPS  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL, HEIGHT 74.1 MM



**935-PM60** POWERDOT MIDI, BLACK  
1 POWER, 1 CABLE PORT WITH CLIPS  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL, HEIGHT 74.1 MM



**935-PM61W** POWERDOT MIDI, WHITE  
1 POWER, 1 USB-CHARGER (2.1A)  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL, HEIGHT 82.1 MM



**935-PM61** POWERDOT MIDI, BLACK  
1 POWER, 1 USB-CHARGER (2.1A)  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL, HEIGHT 82.1 MM



# Powerdot

## Three level unit

935-PD14W White, 935-PD14 Black

Lees meer informatie op onze website [www.meinema.nl](http://www.meinema.nl)





935-PD14 – 1 x Power, 2 x USB-chargers



935-PD14W – 1 x Power, 2 x USB-chargers




## Unique patent pending technology

These complementary satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

Principle for height adjustment



CERTIFIED ACCORDING TO  
CE AND GS STANDARD



1 POWER



2 USB-CHARGERS



1 CABLE FEEDTHROUGH

### SPECIFIKATIONS

- **Electrical Connection:**  
Schuko / grounded 1.5m  
USB Charger 5V, 2400 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, 2 x USB charger  
Black 935-PD14  
White 935-PD14W
- **Accessories:**
  - Decor frame, 115x115 mm
  - Cover lidAvailable in Silver / White / Black

# Powerdot

## Three level unit

Black 935-PD13

Lees meer informatie op onze website [www.meinema.nl](http://www.meinema.nl)




**935-PD13**  
Power, HDMI and USB port



Frame and lid available as accessories

Principle for height adjustment



CERTIFIED ACCORDING TO  
CE AND GS STANDARD



1 POWER



1 HDMI



1 USB PORT

## Unique patent pending technology

These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

### SPECIFICATIONS

- Electrical Connection:  
Schuko / grounded 1.5m  
HDMI  
USB Port
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, HDMI, USB port  
Black 935-PD13
- Accessories:
  - Decor frame, 115x115 mm
  - Cover lidAvailable in Silver / White / Black

# Powerdot




## Three level unit

Black 935-PD12

White 935-PD12W



### Principle for height adjustment



CERTIFIED ACCORDING TO  
CE AND GS STANDARD



1 POWER



1 DATA



1 USB-CHARGER

## Unique patent pending technology

These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.





Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

### SPECIFICATIONS

- Electrical Connection:  
Schuko / grounded 1.5m  
Data CAT6  
USB Charger 5V, 2100 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, data, USB charger  
Black 935-PD12  
White 935-PD12W
- Accessories:
  - Decor frame, 115x115 mm
  - Cover lidAvailable in Silver / White / Black

# Powerdot

Mini Ø 51 mm



## The world's smallest outlet!

The Powerdot Mini is made to allow an electrical outlet to fit. We made an additional alternative version with 2 USB charger ports in the same size.



935-PM50W □ POWERDOT MINI, WHITE  
935-PM50 ■ POWERDOT MINI, BLACK  
1 POWER OUTLET



935-PM51W □ POWERDOT MINI, WHITE  
935-PM51 ■ POWERDOT MINI, BLACK  
2 USB-CHARGER (2.4 A)

### SPECIFICATIONS

- Power cord 1.5 m (Schuko)
- Max tabletop 30 mm
- Height total 65 mm
- Drilling diameter 51 mm
- Part no  
1 Power:  
935-PM50 Black  
935-PM50W White

2 USB-chargers:  
935-PM51 Black  
935-PM51W White