

# san\_siro



KUSCH+CO  
by Nowy Styl



A name with prestige – named after the moniker of the Giuseppe Meazza stadium in Milan, which was the inspiration for one of the novel table top shapes. This extremely versatile table series opens up an almost infinite number of design and finishing options for tables and table configurations in all sizes and shapes. Either stationary on glides or mobile on castors. Its signature feature is the slender tubular steel column frame supported by flat, straight aluminium pedestals.



**Content**

Variations	6
Product data	11
Materials, finishes	23
Fire Prevention, quality, sustainability	27
References	28



**Design by Norbert Geelen**

After having completed his training as industrial designer at the University of Essen, he started freelancing at the Italian Studio Matteo Thun in Milan. Together with his partner Robert Kilders, he founded the design studio bert&bert in 1997. Since 2005, Norbert Geelen feels at home both in his German office in Straelen and in his Milan studio. He has specialised in designing upmarket lifestyle products and furniture.









# Variations

---

## 6000/6035 Table with T pedestals

Next to the stadium shape, which lends its name to san\_siro, this table series comprises rectangular as well as barrel table tops. Dependent on the table top size, either with small or large T pedestals. The largest rectangular table tops are supported by double column pedestals.



---

## 6000 Table with cross pedestals

The central cross pedestal of this compact-sized table is as elegant as it is stable, and can be combined with round, square and pebble shaped table tops. The large-sized round and square table tops are supported by a four-column cross pedestal.



---

## 6020 Bar table

The bar table features a cross frame as well as a higher column, ideally suited for receptions. Next to the square and round table tops, the bar tables are available with the pebble shaped table tops, characterised by an appealing asymmetry.



---

## 6040 Folding table, horizontally stackable

When equipped with castors, the san\_siro folding tables become mobile. They are designed for multifunctional uses in offices, training classrooms, and meeting and conference rooms. The variations featuring a rectangular table top are available in an array of sizes and with many different power and data options.



# Variations

---

## 6050/6055 Folding table, horizontally stackable

These tables can be nested together for space-saving storage. If the rectangular table top is swivelled into a vertical position, the pedestals automatically turn inwards by about 30° for optimum nesting. With a small overhang on the short sides, the table offers maximum space on the long sides. With the large overhang, it is possible to sit at the head of the table with plenty of legroom.



---

## 6085 Folding table, horizontally stackable

Featuring a barrel table top available in four different sizes. The protruding table top on the sides offers plenty of legroom. When the table tops are vertically flipped down, the pedestals turn inwards for compact stacking. All table top sizes come with the large T-shaped pedestals.





6000/6035 Table with T pedestals



Rectangular table

6000/6

Stadium shaped table

6003/6

Barrel table

6035/6

6000 Table with cross pedestals



Square table

6000/6

Pebble shaped table

6002/6

Round table

6005/6

6020 Bar table



Square bar table

6020/6

Pebble shaped bar table

6022/6

Round bar table

6025/6

# Variations

---

## 6040 Folding table, horizontally stackable



Rectangular folding table, horizontally stackable

**6040/6**

---

## 6050/6055 Folding table, horizontally stackable



Rectangular folding table, horizontally stackable  
small overhang on the short sides

**6050/6**

Rectangular folding table, horizontally stackable  
large overhang on the short sides

**6055/6**

---

## 6085 Folding table, horizontally stackable



Barrel folding table, horizontally stackable


**6085/6**

# Product data


## 6000/6035 Table with T pedestals

### 6000/6

Rectangular table  
with single column



### Linking tops




# Product data

## 6000/6035 Table with T pedestals


### 6000/6

Rectangular table  
with double columns



### 6003/6

Stadium shaped table  
with single column





## 6000/6035 Table with T pedestals

### 6035/6

Barrel table  
with single column




Table tops

**D** **E** **J** **K**


Lippings

**1** **2** **3** **4** **6** **7** **8** **9** **10** **11** **25**  
**30** **31** **32** **33**

\* Not for tables 6003/6, 6034/6

### Accessories

- Height adjustable black plastic glides
- Height adjustable black plastic glides, nonskid
- Height adjustable black felt glides
- Stainless steel cap for glides
- Black castors, 2 can be locked
- Black premium castors with chrome-plated ring, 2 can be locked
- Modesty panels on long sides (for tables 6000/6)
- Modesty panels on short sides (for tables 6000/6)
- Linking elements table/table (for tables 6000/6)
- Linking elements table/linking top (for tables 6000/6)
- Power and data modules
- Centrally positioned power and data modules
- Vertical cable duct attached to one column



# Product data

## 6000 Table with cross pedestals







Table tops	<b>D</b> <b>E</b> <b>J</b> <b>K</b>	
Lippings	<b>1</b> <b>2</b> <b>3</b> * <b>4</b> <b>6</b> <b>7</b> <b>8</b> <b>9</b> * <b>10</b> <b>11</b> <b>25</b>	* Not for tables 6002/6, 6005/6
	<b>30</b> <b>31</b> <b>32</b> * <b>33</b>	

Dimensions in cm

## 6020 Bar table


### 6020/6

Square bar table



### 6022/6

Pebble shaped bar table



### 6025/6

Round bar table




Table tops

**D** **E** **J** **K**

Lippings

**1** **2** **3** **4** **6** **7** **8** **9** **10** **11** **25**  
**30** **31** **32** **33**

\* Not for tables 6022/6, 6025/6

## 6000 Table with cross pedestals / 6020 Bar table

### Accessories

- Height adjustable black plastic glides
- Height adjustable black plastic glides, nonskid
- Height adjustable black felt glides
- Stainless steel cap for glides
- Reduced frame height/vertical clearance under table (for tables 6002/6, 6005/6)



# Product data

## 6040 Folding table, horizontally stackable

### 6040/6

Rectangular folding table,  
horizontally stackable




Table tops

**D** **E** **J** **K**

Lippings



**1** **2** **3** **4** **6** **7** **8** **9** **10** **11** **25**  
**30** **31** **32** **33**

### Handling

- Manually operated with one hand
- Mechanism automatically locks into place when the table top is in a horizontal position
- The horizontal table top is securely locked into place, no accidental flipping back
- Flat release mechanism
- Wear- and maintenance-free mechanism
- Folding and nesting with mounted modesty panel
- Unvarying distance between two nested tables, even with modesty panel
- It is possible to sit at the head of the table
- Lockable castors

### Safety

- Automatic, synchronised locking mechanism for table top when in a horizontal position
- It is not possible to operate or release the mechanism when weight is on the table top
- The mechanism is neither self-actuating nor can it be released accidentally
- No visible locking hooks or pinch points
- Passed stability testing
- GS mark for tested product safety



Dimensions in cm



---

## 6040 Folding table, horizontally stackable

### Power and data

- Multimedia lids Coni Cover, A01, A02, B01 and B02 with inserts, positioned in the middle, concealed cabling
- With centrally positioned power and data module and/or modesty panel, folding and nesting
- Power and data box featuring a strip with 4 inserts (with 2 up to 4 inserts customisable with individual and country-specific plugs and sockets)
- Power and data boxes are exchangeable and can be assembled without the use of tools
- Netboxes Turn, Turn Comfort, Axial, Axial Comfort (fitted with up to 4 country-specific inserts) and Netbox Coni (fitted with up to 3 country-specific inserts) can be positioned outside of the centre
- Power and data modules are tested acc. to DIN VDE Directive 0701-0702 June 2008
- Closing lids for multimedia lids A01, A02, B01 and B02, HPL unidecor, Fenix NTM or real wood veneer
- Vertical cable duct attached to a column
- Cable routing inside column
- Horizontal cable routing without additional accessories
- Tables featuring a cable duct can be nested, unvarying distance between nested tables
- Plenty of legroom, even with cable duct installed



---

### Accessories

- Black castors, 2 can be locked
- Black premium castors with chrome-plated ring, 2 can be locked
- Modesty panels on long sides
- Modesty panels on short sides
- Linking elements table/table
- Linking elements table/linking top
- Power and data modules
- Centrally positioned power and data modules
- Vertical cable duct attached to one column




# Product data


## 6050/6055 Folding table, horizontally stackable

### 6050/6

Rectangular folding table,  
horizontally stackable:  
small overhang on the short sides




### Stackability



## 6050/6055 Folding table, horizontally stackable

### 6055/6

Rectangular folding table,  
horizontally stackable:  
large overhang on short sides



### Stackability




Table tops

**D** **E** **J** **K**

Lippings

**1** **2** **3** **4** **6** **7** **8** **9** **10** **11** **25**  
**30** **31** **32** **33**

### Accessories

- Black castors, 2 can be locked
- Black premium castors with chrome-plated ring, 2 can be locked
- Modesty panels on long sides
- Linking elements table/table
- Power and data modules
- Centrally positioned power and data modules
- Vertical cable duct attached to one column




# Product data

## 6085 Folding table, horizontally stackable

### 6085/6

Barrel folding table,  
horizontally stackable



### Stackability

Large pedestals




Table tops

**D** **E** **J** **K**

Lippings

**1** **2** **3** **4** **6** **7** **8** **9** **10** **11** **25**  
**30** **31** **32** **33**

### Accessories


- Black castors, 2 can be locked
- Black premium castors with chrome-plated ring, 2 can be locked
- Modesty panels on long sides
- Linking elements table/table
- Power and data modules
- Centrally positioned power and data modules
- Vertical cable duct attached to one column



Dimensions in cm






6000 san\_siro additional table top sizes



# Product data

## 6000 san\_siro table configurations

Apart from the stand-alone tables, table series 6000 san\_siro is available in a multitude of standard-issue table configurations for up to 24 persons. On top of this, individual table configurations with custom table top shapes for a number of persons of your choice are built to order. For more information, we refer to our datasheet "Table Configurations". Please contact us to receive your copy.




# Materials, finishes

## 6000 san\_siro

### Frame

- Powder coated, bright chrome or satin chrome steel columns
- Powder coated, polished or bright chrome aluminium pedestals
- The size of the pedestals is dependent on the table top size
- Double column pedestal resp. four column cross pedestal for large-sized table tops
- Casing for mechanism anodised aluminium (for tables 6050/6, 6055/6, 6085/6)
- RAL 9006 white aluminium powder coated aluminium sliding disks (for tables 6050/6, 6055/6, 6085/6)

### Powder coating



### Beech stains K



### Beech stains S



\* Not available for beech, maple and cherry veneer.

### Oak stains K



### Closed porous veneer tops



### Open porous veneer tops



# Materials, finishes

Available decor sizes laminate HPL Resopal  
HPL = High Pressure Laminate




**300 x 150 cm**  
High pressure laminated tops  
HPL Resopal.

**300 x 130 cm**  
High pressure laminated tops  
HPL Resopal alabaster, maple,  
soft grey, north sea, ebony and  
Resopal+Hipercare.

**210 x 130 cm**  
Low flammability high pressure  
laminated tops HPL Resopal  
silver grey and global beech.  
Other colours are available on  
request for larger orders.

## Laminate HPL Resopal®



frosty white  
1573-60



alabaster  
D 431-60



maple  
4230-60



global beech  
4306-60<sup>1</sup>




sol oak  
4176-60



shadow nut  
4079-60



silver grey  
0160-60<sup>1, 3</sup>



soft grey  
1500N-60




north sea  
D90-60



ebony  
10622-60

## Laminate HPL Resopal®+Hipercare®



pearl white  
0105-60


## Laminate Fenix NTM®



Available decor sizes laminate Fenix NTM



**300 x 150 cm**  
Laminated tops Fenix NTM.



bianco kos  
0032



beige arizona  
0748



castoro ottawa  
0717



grigio Londra  
0718



verde comoda  
0750



blu fes  
0754



rosso jaipur  
0751



cacao orinoco  
0749



grigio antrim  
0752



grigio bromo  
0724



nero ingo  
0720



<sup>1</sup> Also available in low flammability finish.


<sup>2</sup> Antibacterial coating

<sup>3</sup> Also for modesty panels 6090/6 and 9050/6

<sup>4</sup> Optionally standard stain (HPL top)



Types of lipping



Protective edges for lippings




Table tops




Table tops



Linking tops




# Materials, finishes

## Lippings



**1**  
KK2 / 2 mm  
2 mm plastic ABS.



**2**  
FA2 / 2 mm  
2 mm plastic ABS on MDF,  
50 mm chamfered lipping.



**3**  
FA2L / 2 mm  
2 mm plastic ABS on MDF,  
50 mm chamfered lipping  
on 2 sides.



**25**  
KK2 / 2 mm  
2 mm plastic ABS with  
aluminium coating.



**6**  
HK2 / 2 mm  
2 mm wood.



**7**  
UK2 / 2 mm  
2 mm wood, HPL Resopal  
top covers lipping.



**8**  
FB2 / 2 mm  
2 mm wood on MDF,  
50 mm chamfered lipping.



**9**  
FB2L / 2 mm  
2 mm wood on MDF,  
50 mm chamfered lipping  
on 2 sides.



**4**  
KS2 / 2 mm  
2 mm plastic ABS with  
protective edge.




**10**  
HS2 / 2 mm  
2 mm wood with protective  
edge.



**11**  
US2 / 2 mm  
2 mm wood with protective  
edge, HPL Resopal top  
covers lipping.



**30**  
KK1 / 1 mm  
1 mm plastic PP.



**31**  
FA1 / 1 mm  
1 mm plastic PP on MDF,  
50 mm chamfered lipping.


























**32**  
FA1L / 1 mm  
1 mm plastic PP on MDF,  
50 mm chamfered lipping  
on 2 sides.



**33**  
KS1 / 1 mm  
1 mm plastic PP with  
protective edge.

## Which table top, which lipping?

This chart gives an overview of all combinations which are technically possible.

																
		1	2	3	25	6	7	8	9	4	10	11	30	31	32	33
	<b>D</b> <sup>1</sup>	•			•	•	•			•	•	•	•			•
	<b>D1</b> <sup>1</sup>	•			•	•	•			•	•	•	•			•
	<b>E</b> <sup>1</sup>					•					•					
	<b>E1</b> <sup>1</sup>					•					•					
	<b>J</b>		•	•				•	•					•	•	
	<b>J1</b>			•					•						•	
	<b>K</b>							•	•							
	<b>K1</b>								•							

## Table tops

**D** **E** **J** **K**

## Linking tops

**D1** **E1** **J1** **K1**



<sup>1</sup> Also available in low flammability finish.

# Fire Prevention, quality, sustainability

Excerpt

## Fire Prevention

Depending on the environment, contract seating has to be able to fulfil very specific requirements. Interior designers and planners sometimes have to clear difficult hurdles: such as exacting fire prevention regulations. Kusch+Co has worked out individual solutions:

### Wooden parts

As standard, high-grade wooden veneer finishes and high-grade wooden lippings are protected by a UV curing, environmentally harmless, water-based lacquer meeting all the requirements of "low flammability" acc. to DIN EN 13501 B s2 d0.

### Table tops

Table tops with a 3-layered chipboard core, and featuring either a HPL or real wood veneer surface are also available in a low flammability finish.

Please contact us if you wish to receive the test reports.

Please contact us to receive further information.

## Quality

Our environmental and quality management systems are certified acc. to DIN EN ISO 14001:2015 and to DIN EN ISO 9001:2015. External audits as well as our in-house laboratory safeguard our quality level.

The tables of series 6000 san\_siro meet the requirements with regard to stability, static and dynamic load as well as strength and durability in compliance with the current European Directives, standards and regulations.

On top of this, we voluntarily test the strength of our table frames with an additional horizontal load test using higher weights and more test cycles.

All the power and data modules feature safety-tested components bearing the VDE mark. All tables with power and data modules meet the requirements of the European Directives, standards and regulations currently in effect. The components are all fitted, tested, labelled, and documented by skilled and trained personnel.

We are certified in compliance with DIN EN ISO 9001:2015. In our own laboratory, we test our products before their market launch whether they comply with the normative requirements applicable to contract seating, task chairs, and tables, and issue a Declaration of Conformity.

We happily make these Declarations of Conformity as well as our brochure "Mission Statement Quality" providing detailed information on our test procedures available to you – please contact us.



www.tuv.com  
ID 000005989



6040/6, 6050/6,  
6055/6, 6085/6

### 6000 san\_siro

Environmental aspects

#### Environmental responsibility

Long before the production of a new series, Kusch+Co plans, thinking about the possible environmental impact of the production processes and the required components.

#### Sustainability

Kusch+Co understands sustainability as the ecological, manageable and economically viable combination of environmental protection, economic and social responsibility. We not only in terms of production, but also how we communicate with our fellow men, our staff members and partners. Sustainability cannot be measured, but it can be sensed.

#### Quality assurance

In order to guarantee a constant high level product quality, Kusch+Co is certified in accordance with the quality management system DIN EN ISO 9001:2015 and the environmental management system DIN EN ISO 14001:2015. We offer a 5-year warranty on selected parts.

#### Life Cycle

##### 1 Materials

- The models of series 6000 san\_siro are free from hazardous materials (lead, mercury, PVC).
- All components of series 6000 san\_siro comply with the legal REACH standards.
- All plastic parts are labelled separately for recycling.
- The used chipboards meet the criteria of emission class E1.
- All wood products originate from sustainable, legal and verified sources.
- Series 6000 san\_siro contains no substances included in the candidate list for authorization according to REACH Regulation (EC) No 1907/2006 ("REACH").

##### 2 Production

###### Material coating

The primer coating and the finishing are free from volatile organic compounds (VOC) and heavy metals and therefore physiologically harmless. Our chrome-plating finish models in constant protection and is physiologically harmless during the production and the service life of series 6000 san\_siro. We do not use performance enhancing substances in the chrome-plating, as these substances are suspected of being carcinogenic.

###### Lacquer finish on wood

Through the use of UV-curing water-based lacquers in conjunction with a new lacquering line featuring a glass-vent system with automatic spring gate (since April 2016), we were able to reduce the emissions to an absolute minimum. On top of this, our paint-pipe system has been retrofitted with a dry filtration system, reducing the wet extraction system, and saving energy and water. The dry filter activated the best possible result in reducing the emissions, which can be tested and verified. The used UV-curing water-based lacquers are exempt of flammable and any other harmful substances.

#### Waste management

All types of process waste (biotic resources, from metal (solid) waste processing companies and 100% biodegradable, all wood residues, resulting from wood working, are used to heat the factory saving precious heating oil.

##### 3 Transportation

- The transportation energy is offset by the approximating packaging.
- The packaging material is reused before it is recycled.
- Kusch+Co's dual disposal system is certified by Intertek. Approximately 20 tonnes of packaging material is recycled every year.

##### 4 Usage

- In order to simulate the conditions of a 10-year service life, the series 6000 san\_siro was tested for the GS mark for Product Safety with increased test cycles compared to the relevant norms.
- A long service life is guaranteed with that parts are replaceable and reparable. That is our contribution to an efficient resource management.

##### 5 Waste disposal

- At the end of their service life, the models of series 6000 san\_siro can be dismantled by the customer or dealer and separate the materials correctly by type.
- The models of series 6000 san\_siro are recyclable to approx. 90%. The recyclability is exclusive of adhesives, grease, oil, small parts and screws.

## Sustainability

Kusch+Co products stand for long life cycles and optimum recyclability. From the first design drafts of a new product, we take all environmental-relevant components and production processes into consideration, ranging from the materials selection and the design all the way to the manufacturing processes which also contribute towards our sustainable energy balance.

Environmental Product Declarations are available for all series, in accordance with DIN EN ISO 14021 Type II, providing more information about all environmentally relevant aspects, including the Credit Points for the LEED certification of a building. Please contact us for more information.

### 6000 san\_siro

Environmental aspects

#### Material composition

	6000/6	6000/6	6000/6	6000/6
Model	10.5 kg	20.4 kg	28.6 kg	35.4 kg
Dimensions (in cm)	80x70	140x70	140x70	140x70
Recyclable percentage	30.6 %	27.0 %	25.5 %	33.1 %
Recyclability	66.6 %	67.0 %	67.0 %	67.0 %

These certificates prove the environmental and social compliance of series 6000 san\_siro. At least 90 % of the wood used for the production of this series is PEFC certified. Certificate No. 440207003.

#### 6000/6 Square table

140x70 cm with cross base, chipboard 27 mm, HPL, plastic top

	Aluminum	Plastic	Chipboard
Weight	22.4 kg	6.4 kg	49.6 kg
Recyclability	66.6 %	67.0 %	67.0 %

#### 6000/6 Rectangular table

140x70 cm with small pedestal, chipboard 27 mm, HPL, plastic top

	Aluminum	Plastic	Chipboard
Weight	25.1 kg	6.4 kg	50.1 kg
Recyclability	66.6 %	67.0 %	67.0 %

#### 6000/6 Rectangular folding table, horizontally stackable

140x70 cm with small pedestal, chipboard 27 mm, HPL, plastic top

	Aluminum	Plastic	Chipboard
Weight	19.6 kg	6.4 kg	46.6 kg
Recyclability	66.6 %	67.0 %	67.0 %

#### 6000/6 Rectangular folding table, horizontally stackable, small overhang on the short sides

140x70 cm with small pedestal, chipboard 27 mm, HPL, plastic top

	Aluminum	Plastic	Chipboard
Weight	23.6 kg	6.4 kg	49.6 kg
Recyclability	66.6 %	67.0 %	67.0 %

# References

Excerpt

## Austria

- Banking house Carl Spängler & Co. plc, Salzburg
- Webster Vienna Private University

## Belgium

- General Hospital Sint-Maarten, Mechelen
- Residential care and nursing home De Vlinder, Harelbeke
- Residential care and nursing home De Zathe, Nieuwpoort
- Residential care and nursing home Sint-Elisabeth, Ostend
- St. Jozef Hospital, Campus Bornem

## France

- Liebherr-France SAS, Colmar

## Germany

- City Hall Gütersloh
- CSL Behring GmbH, Marburg
- Deutsche Bahn AG, Silver Tower, Frankfurt am Main
- Fressnapf Tiernahrungs GmbH, Krefeld
- German Aviation Association (BDL), Berlin
- Helios Park Hospital, Leipzig
- Musterring, Rheda-Wiedenbrück
- Protestant University Berlin
- Rotonda Business-Club GmbH & Co. KG, Cologne
- Silva Deutschland GmbH, Stuttgart
- Theegarten-Pactec GmbH & Co. KG, Dresden
- University Hospital Cologne
- VDA – German Association of the Automotive Industry, Berlin
- VKKD Augusta Hospital, Düsseldorf
- Zalando SE, Berlin
- Zeppelin GmbH, Friedrichshafen

## Ireland

- Ernst & Young Global Limited, Dublin

## Netherlands

- St. Martin Hospital, Nijmegen

## Saudi Arabia

- Mouwasat Hospital, Riyadh

## United Kingdom

- Dana Petroleum plc, Aberdeen
- HPI Chancery Court Hotel, London
- Royal Bank of Canada, London

## USA

- Novartis, Edison



CSL Behring GmbH, Marburg



Residential care and nursing home De Zathe, Nieuwpoort

















Rotonda Business-Club GmbH & Co. KG, Cologne











