
BuzziMilk

product specification sheet

This documents contains technical information about the BuzzzMilk Stool, Counter, Bar, Bench, Stool All Wood, Tile Small, Tile Large, Side Table, Side Table Large, Table

•BUZZI
SPACE



A classic milk stool

This rustic-meets-modern take on the old farmhouse favorite would even make your grandma feel nostalgic. BuzziMilk is a sturdy little stool inspired by elements not usually found in a standard office space.

Its goal? Create a warm and homey feeling at work. BuzziMilk has four legs and an upholstered seat for a softer experience. Select from a variety of wood finishes and make it your own by pairing with one of our many BuzziSpace fabrics. Whether you choose a bold pop of color (red, yellow, green, white and blue) or a natural neutral, it is designed to stand on its own or match the BuzziPicNic table. Looking for a pure wood stool? BuzziMilk Stool Allwood is pure simplicity and strong design.

A versatile little table

The BuzziMilk base has inspired the handy BuzziMilk Tables. They can be grouped together to create a series of coffee or side tables, or used independently. Like the BuzziMilk design, multiple size and color options are possible.

Design by Alain Gilles

General

-  BuzziMilk Stool, Counter, Bar, Bench, Stool All Wood, Tile Small, Tile Large, Side Table, Side Table Large, Table
-  Frame: Wood
-  Dry usage
-  Assembled

Content

Configurations	3
Components	7
Fabrics	8
Finishes	13
Dimensions	14

Configurations

BuzziMilk Stool



Stool

Frame in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak, Ash Lacquered Blue, Ash Lacquered Green, Ash Lacquered Red, Ash Lacquered Yellow or Ash Lacquered White



Filling in C43170 foam


Seat upholstered in Fabric, Rough, Trevira CS+ | CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Velvet, Tartan, Hero, Tonus 4, Tonus Meadow, Memory 2, Matrix or Leather Vegetal (Stitching is required for leather)



Stool: Ø 39 cm H 47,5 cm
Ø 15.35" H 18.70"



Stool: ± 5,9 kg | ± 13.01 lbs
Max. weight capacity: 100 kg | 220.46 lbs



BuzziMilk Counter



Counter

Frame in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak, Ash Lacquered Blue, Ash Lacquered Green, Ash Lacquered Red, Ash Lacquered Yellow or Ash Lacquered White



Filling in C43170 foam


Seat upholstered in Fabric, Rough, Trevira CS+ | CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Velvet, Tartan, Hero, Tonus 4, Tonus Meadow, Memory 2, Matrix or Leather Vegetal (Stitching is required for leather)



Counter: Ø 39 cm H 68 cm
Ø 15.35" H 26.77"



Counter: ± 7,2 kg | ± 13.01 lbs
Max. weight capacity: 100 kg | 220.46 lbs



BuzziMilk Bar



Bar

Frame in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak, Ash Lacquered Blue, Ash Lacquered Green, Ash Lacquered Red, Ash Lacquered Yellow or Ash Lacquered White



Filling in C43170 foam


Seat upholstered in Fabric, Rough, Trevira CS+ | CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Velvet, Tartan, Hero, Tonus 4, Tonus Meadow, Memory 2, Matrix or Leather Vegetal (Stitching is required for leather)



Bar: Ø 39 cm H 78 cm
Ø 15.35" H 30.71"



Bar: ± 7,8 kg | ± 17.20 lbs
Max. weight capacity: 100 kg | 220.46 lbs



BuzziMilk Bench



Bench

Frame in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak, Ash Lacquered Blue, Ash Lacquered Green, Ash Lacquered Red, Ash Lacquered Yellow or Ash Lacquered White



Filling in C43170 foam


Seat upholstered in Fabric, Rough, Trevira CS+ | CS, Revive 1, Revive 2, Terra, Clara 2, Remix 2, Velvet, Tartan, Hero, Tonus 4, Tonus Meadow, Memory 2, Matrix



Bench: W 39 cm L 119 cm H 48 cm
W 15.35" L 46.85" H 18.89"



Bench: ± 14,6 kg | ± 32.19 lbs
Max. weight capacity: 150 kg | 330.69 lbs



BuzziMilk Stool All Wood



Stool All Wood


Frame in Ash Natural, Ash Black Stained,
Ash White Wash, Walnut, Oak,
Ash Lacquered Blue, Ash Lacquered Green,
Ash Lacquered Red, Ash Lacquered Yellow or
Ash Lacquered White



Stool : Ø 39 cm H 43 cm
 Ø 15.35" H 16.93"



Stool: ± 6,5 kg | 14.33 lbs
Max. weight capacity: 100 kg | 220.46 lbs



BuzziMilk Tile Small



Tile Small


Backplate 1,2 cm | 0.47" MDF
Filling in C43170 foam
Upholstered in Fabric, Rough,
Trevira CS+ | CS, Revive 1, Revive 2,
Terra, Clara 2, Remix 2, Velvet, Tartan, Hero,
Tonus 4, Tonus Meadow, Memory 2, Matrix
or Leather Vegetal (Stitching is required for
leather)



Ø 39 cm H 7,5 cm
Ø 15.35" H 2.95"



± 1,30 kg
± 2.87 lbs



BuzziMilk Tile Large



Tile Large


Backplate 1,2 cm | 0.47" MDF
Filling: C43170 foam
Upholstered in Fabric, Rough,
Trevira CS+ | CS, Revive 1, Revive 2,
Terra, Clara 2, Remix 2, Velvet, Tartan, Hero,
Tonus 4, Tonus Meadow, Memory 2, Matrix
Leather Vegetal (Stitching is required for
leather)



W 39 cm L 119 cm H 7,5 cm
W 15.35" L 46.85" H 2.95"



± 4,8 kg
± 10.58 lbs



BuzziMilk Side Table



Side Table




Frame in Ash Natural, Ash Black Stained,
Ash White Wash, Walnut, Oak



Ø 39 cm H 39 cm
Ø 15.35" H 15.35"



Side Table: ± 4,1 kg | ± 9.04 lbs
Max. weight capacity: 100 kg | 220.46 lbs



BuzziMilk Side Table Large



Side Table Large




Frame in Ash Natural, Ash Black Stained,
Ash White Wash, Walnut, Oak



W 39 cm L 119 cm H 39,5 cm
W 15.35" L 46.85" H 15.55'



Side Table Large : ± 8,1 kg | ± 17.86 lbs
Max. weight capacity: 50 kg | 110.23 lbs



BuzziMilk Table



Table




Frame in Ash Natural, Ash Black Stained,
Ash White Wash, Walnut, Oak



Ø 100 cm H 73,5 cm
Ø 39.37" H 28.94"



Table: 36 kg | 97.37 lbs




Components



BuzziMilk has Felt or Plastic inserts




Black powder coated metal connection



BuzziMilk Tile Fixing System.
1 pcs for Tile Small
3 pcs for Tile Large (horizontal or vertical mounting)

Fabrics

**Category A**

Composition 70% Recycled Wool, 25% Recycled Polyacryl,
5% Recycled Other Fabrics

Weight 405 g/m² | 11.94 oz/yd²

Abrasion resistance 40.000 Martindale, 50,000 Wyzenbeek

Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette).
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117 | ASTM E84 CLASS A

Fastness to light EU: 4 | USA 4

Fastness to rubbing EU: Wet 3-4 | Dry 4-5

Fastness to crocking USA: Wet 5 | Dry 5



Rough

**Category A**

Composition 100% Polyacryl

Weight 456 g/m² | 13.45 oz/yd²

Abrasion resistance 40.000 Martindale


Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)
USA: CAL TB TB 117

Fastness to light EU: 5

Fastness to rubbing EU: Wet: 3 | Dry: 3



Trevira CS+ | CS

**Category A**

Weight 420 g/m² | 12.39 oz/yd²

Composition 100% Polyester, Trevira CS

Abrasion resistance 100.000 Martindale, 90,000 Wyzenbeek

Flammability BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
USA: CAL TB 117 | M1 | B1 | EN 1021/1-2 | C1 |
IMO Res. A652 (16)

Fastness to light EU: 6 | USA 5


Fastness to rubbing EU: Wet 4-5 | Dry 4-5

Fastness to crocking USA: Wet 5 | Dry 5



Revive 1

kvadrat



Category A

Composition 100% recycled polyester FR

Weight 430 g/lin.m

Abrasion resistance 60.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117
IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 5, wet 4-5

Pilling Note 4-5, EN ISO 12945



Revive 2

kvadrat



Category A

Composition 100% recycled polyester FR

Weight 420 g/lin.m

Abrasion resistance 45.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117
IMO A.652 (16)


Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 5, wet 4-5

Pilling Note 4-5, EN ISO 12945



Velvet



Category B

Composition 100% PES

Weight 375 g/m² | 11.06 oz/yd²


Abrasion resistance > 100.000 Martindale

Fastness to light EU: 4-5

Fastness to rubbing EU: Wet 4 | Dry 4-5

Pilling EU: 4-5

Terra



Category B

Composition 100% Pure New Wool

Weight 370 g/m² | 10.91 oz/yd²

Abrasion resistance 40.000 Martindale, 25,000 Wyzenbeek

Flammability EU: BS5852 CRIB 5 | BS5867 PART 2 : 2008 : TYPE B
EN: 1021.2/2006 | USA: CAL TB 117

Fastness to light EU 5 | USA 5


Fastness to rubbing EU: Wet 4 | Dry 4

Fastness to crocking USA: Wet 4 | Dry 4



Clara 2

kvadrat



Category B

Composition 92% new wool, 8% nylon

Weight 400 g/lin.m

Abrasion resistance 80.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E
NFPA 260 | IMO A.652(16)

Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 4, EN ISO 12945



Remix 2

kvadrat



Category B

Composition 90% new wool, 10% nylon

Weight 415 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013
NFPA 260 | IMO FTP Code 2010:Part 8

Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 4, EN ISO 12945



Tartan



Category C

Composition 100% Pure New Wool

Weight 475 g/m²

Abrasion resistance 30.000 Martindale

Flammability EU: BS5852 CRIB 5 | BS5867 PART 2 : 2008 : TYPE B
EN 1021.2/2006 | USA: CAL TB 117


Fastness to light EU: 5 | USA: 5

Fastness to rubbing EU: Wet: 4 | Dry: 4



Hero

kvadrat



Category C

Composition 96% new wool, 4% nylon

Weight 580 g/lin.m

Abrasion resistance 45.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B2 | NF D 60 013
UNI 9175 1IM | US Cal. Bull. 117-2013 | NFPA 260
IMO A.652 (16)

Fastness to light Note 5-6, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4-5

Pilling Note 3-4, EN ISO 12945



Tonus 4

kvadrat



Category D

Composition 90% new wool, 10% Helanca

Weight 665 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2

Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M

US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 3-5, wet 3-5

Pilling Note 3, EN ISO 12945



Tonus Meadow

kvadrat



Category D

Composition 90% new wool, 10% Helanca

Weight 665 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2

Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M

US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 3, EN ISO 12945



Memory 2

kvadrat



Category E

Composition 100% Trevira CS

Weight 700 g/lin.m

Abrasion resistance

35.000 rubs acc. to the Martindale method, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1

NF D 60 013 | NF P 92 507 M1 | UNI 9175 11M

UNI 9177 classe 1 | US Cal. Tech. Bull. 117


IMO A.652 (16)

Fastness to light Note 5-8, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4-5

Pilling Note 4, EN ISO 12945



**Category** F**Composition** 100% Trevira CS**Weight** 760 g/lin.m**Abrasion resistance**

App. 60.000 rubs acc. to the Martindale method, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 crib 5 | BS 5867 part 2 type B

DIN 4102 B1 | Önorm B1/Q1 | NF D 60 013

UNI 9175 1IM | US Cal. Tech. Bull. 117 | NFPA 701

IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02**Fastness to rubbing** (ISO) dry 4-5, wet 4-5**Pilling** Note 4, EN ISO 12945

Leather Vegetal

**Raw material** Scandinavian Bullhides**Surface** Pure Aniline**Flammability** EU: EN 1021.1 - BS5852 PART 1 (cigarette)

EN 1021.2 - BS5852 PART 1 (match)

USA: CAL TB 117

Fastness to light EU: 3 Blue Scale (72h exposition)**Fastness to rubbing** EU: Wet: 20 cycles/3 | Dry: 50 cycles/3

Sweat: 20 cycles/3

Strenght Tear resistance: >20N or 10N/mm thicknessTensile: >20N/mm²

Elongation: 40-70%

Finishes

Wood

for Base and Tabletop




Ash Natural



Ash Black Stained




Ash White Wash




Walnut




Oak



Ash Lacquered
Blue*



Ash Lacquered
Green*



Ash Lacquered
Red*



Ash Lacquered
Yellow*




Ash Lacquered
White*


* Not available for Side Table, Side Table Large, Table

Dimensions


Stool




Counter




Bar






Bench







Stool All Wood





Tile Small




Tile Large



Side Table



Side Table Large



Table

