Advies nodig? Klik hier

Contactformulier

In Zee Groovy akoestische panelen

in-zee



meinema
interieur | ontwerp | uitvoering
Info@meinema.nl
0031 - 20 311 8396

Groovy panels add a fun and stylish touch to any wall with seamless V-cut patterns in PET Felt. The soft curves and clean lines create a unique look while improving acoustics. Easy to cut on-site or made to measure, they offer a simple way to add texture, depth, and sound absorption to any space.

Specifications

1200 x 2400
Custom size on request

Single color 9mm PET Felt

Acoustics: 0.20 (aw)
When directly mounted on hard surface

Acoustics: 0.45 (aw)
When freehanging or mounted on framework with cavity


Circles


Diagonal


Diagram

Horizon


Jazz


Level


Skylines


Route


Temporary


Torent


Track


Vertical


Vinyl



V-Cut
Engraving patterns into PET Felt with a 45° angle at 4.5mm depth.



Our patterns continue seamlessly when placed side by side.



Layout Options

Combine horizontal and vertical orientation to amplify the design of your space.



Vertical Tile



Horizontal Tile



Alternating Vertical



Alternating Horizontal

Installation Guide

Read this manual carefully and keep it at hand during the entire install.

Follow the instructions for safe and proper installation and operation of the product.

The manufacturer accepts no liability for damage resulting from incorrect installation and use.

Do not allow the product to come into contact with water, other liquids or flammable products.

- Construction Glue
- Ruler
- Cutting Knife

1. Panels are easy to cut in any size with a sharp knife (or ordered in size, ask our team).



2. Glue directly onto the wall or on a cavity if you want to increase absorption value.



Seamless Design
Each panel is finished with a 45° bevel cut, to ensure a clean finish when positioned next to eachother.

PET Felt

100% Polyethylene terephthalate (PET)
At least 60% recycled fibres.

1900gram/m2

Sound Absorbing

EN13501-1 Class B

UK CA
CE
RoHS